

2/4





FIG. 3



505	204	206	208	510	512	514	516
REMAINING BATTERY POWER (RRP)	SKIP DECISION	FILTER TYPE Selection	TYPE 1 TYPE 2 FILTERING FILTERING	TYPE 2 FILTERING	DERINGING	IMAGE RESIZING	BIT REDUCTION AND DITHERING
RBP>	NO	HIGH COMPLEXITY	FILTER 1	FILTER 2	FILTER 1 FILTER 2 HIGH COMPLEXITY	HIGH	NO NO
THR1 > RBP > THR2	NO	HIGH COMPLEXITY	FILTER 1	FILTER 2	FILTER 2 LOW LOW COMPLEXITY	LOW COMPLEXITY	BYPASS
THR2> RBP > THR3	NO	LOW COMPLEXITY	FILTER 1A	FILTER 1A FILTER 2A BYPASS	BYPASS	LOW COMPLEXITY	BYPASS
THR3> RBP≥ THR4	NO	BYPASS	FILTER 1A	FILTER 1A FILTER 2A BYPASS	BYPASS	LOW COMPLEXITY	BYPASS
RBP≤ THR4	BYPASS	BYPASS	BYPASS	BYPASS	BYPASS	LOW COMPLEXITY	BYPASS

FIG S

4/4




FIG. 6




FIG. 7